



sialic acid storage disease

Sialic acid storage disease is an inherited disorder that primarily affects the nervous system. People with sialic acid storage disease have signs and symptoms that may vary widely in severity. This disorder is generally classified into one of three forms: infantile free sialic acid storage disease, Salla disease, and intermediate severe Salla disease.

Infantile free sialic acid storage disease (ISSD) is the most severe form of this disorder. Babies with this condition have severe developmental delay, weak muscle tone (hypotonia), and failure to gain weight and grow at the expected rate (failure to thrive). They may have unusual facial features that are often described as "coarse," seizures, bone malformations, an enlarged liver and spleen (hepatosplenomegaly), and an enlarged heart (cardiomegaly). The abdomen may be swollen due to the enlarged organs and an abnormal buildup of fluid in the abdominal cavity (ascites). Affected infants may have a condition called hydrops fetalis in which excess fluid accumulates in the body before birth. Children with this severe form of the condition usually live only into early childhood.

Salla disease is a less severe form of sialic acid storage disease. Babies with Salla disease usually begin exhibiting hypotonia during the first year of life and go on to experience progressive neurological problems. Signs and symptoms of Salla disease include intellectual disability and developmental delay, seizures, problems with movement and balance (ataxia), abnormal tensing of the muscles (spasticity), and involuntary slow, sinuous movements of the limbs (athetosis). Individuals with Salla disease usually survive into adulthood.

People with intermediate severe Salla disease have signs and symptoms that fall between those of ISSD and Salla disease in severity.

Frequency

Sialic acid storage disease is a very rare disorder. ISSD has been identified in only a few dozen infants worldwide. Salla disease occurs mainly in Finland and Sweden and has been reported in approximately 150 people. A few individuals have been identified as having intermediate severe Salla disease.

Genetic Changes

Mutations in the *SLC17A5* gene cause all forms of sialic acid storage disease. This gene provides instructions for producing a protein called sialin that is located mainly on the membranes of lysosomes, compartments in the cell that digest and recycle materials. Sialin moves a molecule called free sialic acid, which is produced when

certain proteins and fats are broken down, out of the lysosomes to other parts of the cell. Free sialic acid means that the sialic acid is not attached (bound) to other molecules. Researchers believe that sialin may also have other functions in brain cells, in addition to those associated with the lysosomes, but these additional functions are not well understood.

Approximately 20 mutations that cause sialic acid storage disease have been identified in the *SLC17A5* gene. Some of these mutations result in sialin that does not function normally; others prevent sialin from being produced. In a few cases, sialin is produced but not routed properly to the lysosomal membrane.

SLC17A5 gene mutations that reduce or eliminate sialin activity result in a buildup of free sialic acid in the lysosomes. It is not known how this buildup, or the disruption of other possible functions of sialin in the brain, causes the specific signs and symptoms of sialic acid storage disease.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- free sialic acid storage disease
- N-acetylneuraminic acid storage disease
- NANA storage disease
- sialuria, Finnish type

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Salla disease
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1096903/>
- Genetic Testing Registry: Sialic acid storage disease, severe infantile type
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1096902/>

Other Diagnosis and Management Resources

- GeneReview: Free Sialic Acid Storage Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK1470>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Health Topic: Genetic Brain Disorders
<https://medlineplus.gov/geneticbraindisorders.html>
- Health Topic: Metabolic Disorders
<https://medlineplus.gov/metabolicdisorders.html>

Genetic and Rare Diseases Information Center

- Salla disease
<https://rarediseases.info.nih.gov/diseases/4754/salla-disease>

Educational Resources

- Disease InfoSearch: Salla disease
<http://www.diseaseinfosearch.org/Salla+disease/6400>
- MalaCards: infantile free sialic acid storage disease
http://www.malacards.org/card/infantile_free_sialic_acid_storage_disease
- Orphanet: Free sialic acid storage disease
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=834

Patient Support and Advocacy Resources

- Children Living with Inherited Metabolic Diseases
<http://www.climb.org.uk/>
- National Tay-Sachs and Allied Diseases Association
<https://www.ntsad.org/>
- The MPS Society (UK)
<http://www.mpsociety.org.uk/diseases/related-diseases/sialic-acid-storage-disease/>

GeneReviews

- Free Sialic Acid Storage Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK1470>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28sialic+acid+storage+disease%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+2160+days%22%5Bdp%5D>

OMIM

- INFANTILE SIALIC ACID STORAGE DISEASE
<http://omim.org/entry/269920>
- SALLA DISEASE
<http://omim.org/entry/604369>

Sources for This Summary

- Aula N, Kopra O, Jalanko A, Peltonen L. Sialin expression in the CNS implicates extralysosomal function in neurons. *Neurobiol Dis.* 2004 Mar;15(2):251-61.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15006695>
- Eskelinen EL, Tanaka Y, Saftig P. At the acidic edge: emerging functions for lysosomal membrane proteins. *Trends Cell Biol.* 2003 Mar;13(3):137-45. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12628346>
- GeneReview: Free Sialic Acid Storage Disorders
<https://www.ncbi.nlm.nih.gov/books/NBK1470>
- Lemyre E, Russo P, Melançon SB, Gagné R, Potier M, Lambert M. Clinical spectrum of infantile free sialic acid storage disease. *Am J Med Genet.* 1999 Feb 19;82(5):385-91. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/10069709>
- Mach L. Biosynthesis of lysosomal proteinases in health and disease. *Biol Chem.* 2002 May;383(5):751-6. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12108539>

- Morin P, Sagné C, Gasnier B. Functional characterization of wild-type and mutant human sialin. EMBO J. 2004 Nov 24;23(23):4560-70. Epub 2004 Oct 28.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15510212>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC533050/>
 - Suwannarat P. Disorders of free sialic acid. Mol Genet Metab. 2005 Jun;85(2):85-7. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/15973781>
-

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/sialic-acid-storage-disease>

Reviewed: February 2008

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications

U.S. National Library of Medicine

National Institutes of Health

Department of Health & Human Services